

UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)*(Only for new nonprovisional applications under 37 CFR 1.53(b))*Docket No.
13576 (YOR9-2000-0226)

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTSBox Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

A PERSONAL SMART POINTING DEVICE

and invented by:

Chandrasekhar NarayanaswaniIf a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☒ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 23 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications *(if applicable)*
 - c. ☐ Statement Regarding Federally-sponsored Research/Development *(if applicable)*
 - d. ☐ Reference to Microfiche Appendix *(if applicable)*
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings *(if drawings filed)*
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
13576 (YOR9-2000-0226)

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)

- a. ☐ Formal Number of Sheets _____
- b. ☒ Informal Number of Sheets 4

4. ☒ Oath or Declaration

- a. ☒ Newly executed (original or copy) ☐ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).

5. ☐ Incorporation By Reference (usable if Box 4b is checked)

The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

6. ☐ Computer Program in Microfiche (Appendix)

7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)

- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☒ Assignment Papers (cover sheet & document(s))

9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)

10. ☐ English Translation Document (if applicable)

11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS Citations

12. ☐ Preliminary Amendment

13. ☒ Acknowledgment postcard

14. ☒ Certificate of Mailing

☐ First Class ☒ Express Mail (Specify Label No.): EL591790097US

CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)Applicant(s): **Chandrasekhar Narayanaswami**

Docket No.

13576 (YOR9-2000-0226)Serial No.
unassignedFiling Date
herewith

Examiner

Group Art Unit
unassignedInvention: **A PERSONAL SMART POINTING DEVICE**

I hereby certify that the following correspondence:


New Patent Application*(Identify type of correspondence)*

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231

June 30, 2000*(Date)***Mishelle Spina***(Typed or Printed Name of Person Mailing Correspondence)**(Signature of Person Mailing Correspondence)***EL591790097US***("Express Mail" Mailing Label Number)*

Jc861 U.S. PTO

09/607800



06/30/00

Note: Each paper must have its own certificate of mailing.

**UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)***(Only for new nonprovisional applications under 37 CFR 1.53(b))*Docket No.
13576 (YOR9-2000-0226)

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTSBox Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

A PERSONAL SMART POINTING DEVICE

and invented by:

Chandrasekhar NarayanaswaniJCS61 U.S. PTO
09/607800
06/30/88If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.: _____

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 23 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☐ Cross References to Related Applications *(if applicable)*
 - c. ☐ Statement Regarding Federally-sponsored Research/Development *(if applicable)*
 - d. ☐ Reference to Microfiche Appendix *(if applicable)*
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings *(if drawings filed)*
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
13576 (YOR9-2000-0226)

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)

a. ☐ Formal Number of Sheets _____

b. ☒ Informal Number of Sheets 4

4. ☒ Oath or Declaration

a. ☒ Newly executed (original or copy) ☐ Unexecuted

b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)

c. ☒ With Power of Attorney ☐ Without Power of Attorney

d. ☐ DELETION OF INVENTOR(S)

Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).

5. ☐ Incorporation By Reference (usable if Box 4b is checked)

The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

6. ☐ Computer Program in Microfiche (Appendix)

7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)

a. ☐ Paper Copy

b. ☐ Computer Readable Copy (identical to computer copy)

c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☒ Assignment Papers (cover sheet & document(s))

9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)

10. ☐ English Translation Document (if applicable)

11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS Citations

12. ☐ Preliminary Amendment

13. ☒ Acknowledgment postcard

14. ☒ Certificate of Mailing

☐ First Class ☒ Express Mail (Specify Label No.): EL591790097US

A PERSONAL SMART POINTING DEVICE

BACKGROUND OF THE INVENTION

Field of the Invention

5

This invention relates generally to computer display pointing devices such as a mouse, and more specifically, to a smart pointing device having intelligence for providing user interface customization when employed with other devices not owned by a user including PCs, personal digital assistants, cell phones, etc.

Discussion of the Prior Art

15

It is often difficult for a person to use another person's personal computing device (PCs) as another person's PC most likely possesses a different set of customizations and default options than the first person.

20

It would be highly desirable to provide a system for customizing a PC for a user that includes a portable device that would retain that user's set of preferences and customizations and that may be employed to transfer the preferences and customizations to the PC that can recognize the portable device. Such customizations may include shortcuts on the desktop, bookmarks for browsers, the browser history, icon settings for applications, encrypted passwords for web sites, etc.

25

30

It would further be highly desirable to provide a system for customizing a PDA and cell phone for a user that includes a portable device that would retain that user's set of preferences and customizations and that may be employed for transferring the preferences and customizations to any PDA and cell phone that can

recognize the portable device. Such cell phone customizations may include a set of phone numbers that would personalize the cell phone. As known to skilled artisans, PDA customizations may include power management settings, list of active applications, wireless service provider, etc.

It would additionally be highly desirable to provide such a portable device that retains a user's set of preferences and device customizations with wireless communication capability such that it may wirelessly connect with a recipient device such as a PC, PDA, cell phone etc.

Summary of the Invention

It is an object of the present invention to provide a device that enables customization of a PC for a user by retaining that user's set of personalized data including application preferences and customizations and which may be transferred to a visited device such as a PC, PDA, cell phone, etc.

According to the principles of the invention, there is provided a personal smart pointer device capable of interfacing with a first device for providing cursor movement functionality for a first device display, said pointer device comprising: memory storage device for enabling storage of personalized data relating to customized aspects of a user application; a control mechanism for controlling transfer of personalized data from the first device to the memory storage device in response to a first user command; and, in response to a second command the control mechanism initiating transfer of personalized data from the memory storage device to a second device; and, mechanism in the second device responsive to receipt of the user data for altering a like user application in accordance with the customized aspects, wherein

the pointer device is transportable for transferring user customized aspects of many user applications of first devices to facilitate use of like applications on the second devices.

5 Advantageously, the personal smart pointer device is able to retain original user application preferences currently existing in the second device prior to altering the user application with the user customized aspects and restore the user application preferences for the user application after disconnecting the
10 pointer device from the second device.

Brief Description of the Drawings

Further features, aspects and advantages of the apparatus and
15 methods of the present invention will become better understood with regard to the following description, appended claims, and accompanying drawings where:

Figure 1 illustrates conceptually a hardware block diagram
20 depicting the smart personal pointer device of the invention.

Figure 2 is a detailed schematic illustrating the hardware architecture comprising the smart personal pointer device of the invention.

25 Figure 3 illustrates the software architecture implemented for the smart personal pointer device of the invention.

Figures 4(a)-4(c) are flow charts illustrating the method for
30 transferring preferences between devices in accordance with the present invention.

Detailed Description of the Preferred Embodiments

In a preferred embodiment of the invention, a conventional computer mouse or like pointing device is equipped with additional hardware and software for increased functionality. The mouse is a desirable form factor as it doubles as a pointing device and readily connects with any computer. More particularly, the "smart personal pointing" device, as now referred to herein, is provisioned with hardware and software for facilitating network computer-like applications, including enabling receipt and storage of information, and transfer of information to adjunct devices ("visited device(s)") such as a PC, a mobile computer, and other pervasive devices such as a cellular phone and PDA. Preferably, as will be explained, information to be transferred includes those personal preferences, features and customizations of applications/programs used by the user on his/her own personal device, in order to facilitate use of the application/program on a visited device. such as a colleague's PC, a phone rented with a car, etc. As will be described herein, the communication of personal preferences and customizations may be accomplished wirelessly.

Figure 1 illustrates the smart personal pointing device 10 which comprises components of a typical computer mouse device such as a position tracking roller ball mechanism 12, one or more buttons 13a,b,c including at least the mouse left-click 13a selection and right-click 13c option buttons, and, an interface 14 for transmitting signals from the mouse device to an attached computer device. In the preferred embodiment, the smart personal pointing device 10 additionally includes hardware and software elements 20 including a CPU, a memory board including flash memory, and wireless communications devices, e.g., receiver, transmitter, for enabling wireless voice and data communications.

One hardware element includes a high-resolution display 15 for presenting use information, e.g., icons that may indicate that the battery is low, or for some other status indication. Additionally included is a universal serial bus (USB) interface device 18 for communicating data signals in accordance with the USB protocol, and, additional interfaces such as expansion Personal Computer Memory Card International Association (PCMCIA) slots 19 so that the user of the device may utilize PCMCIA cards in conjunction with that user's own device, or a visited device. The ability to add compact flash/PCMCIA slots enables additions of peripherals such as compact flash/PCMCIA cards for further flexibility, and additionally solves the problem of lack of PCMCIA slots in desktop machines. Thus for example, if the personalization data will not fit into the flash memory provided on the memory board, the user may additionally put a microdrive (such as provided by IBM) into the compact flash slot 19 which provides storage of more than 340 MB of data. In an example use of the smart personal pointing device, a user may plug his/her compact flash data card from his/her digital camera into the slot 19 and download digital pictures. As a further feature, the smart-mouse may be additionally provisioned with a wireless network card (not shown).

Figure 2 is a detailed block diagram illustrating the hardware architecture for inclusion in the smart personal pointing or similar form factor pointing device 10. As shown in Figure 2, a base card 20 includes a first or main card 50 housing the core processing unit, I/O, and memory. For example the main card 50 includes a CPU 55, such as a Cirrus Logic CL-EP7211, which is a single-chip embedded controller functioning as a CPU for ultra-low-power applications, and armed with processing and enhanced memory management features to function equivalently as a 100 MHz Pentium. The core processing unit may operate at 2.5 V, and, to

minimize the board size, may be equipped with a 3.68 MHz ceramic resonator 57 for generating the main frequency clock and timing signals. The main card 50 additionally includes sufficient nonvolatile and volatile memory including, for example, 64Mbit EDO DRAM 58 and SRAM/Flash memory 59 that supports the system code. One communications subsystem for the personal pointing device 10 includes a line of sight Infrared Data Association (IrDA) communications interface having a low-power IR transceiver module 60 mounted on the card 50 for direct connection with interface decoder pins of the CPU 55 which includes an IrDA SIR protocol encoder. The first card 50 additionally includes various Analog to Digital converters (ADC), memory refresh logic and industry standard interfaces such as a compact flash interface for example, so that other devices could be attached to the Personal pointer device 10. Other interfaces such as Universal Serial Bus (USB), and I2C, etc. may additionally be incorporated. Figure 2 further illustrates the main card 50 as comprising power supply subsystem including a rechargeable Li-Polymer type battery 65 and a DC to DC converter 66 for supporting a wide dynamic range of Personal pointer system/sub-system load.

With further reference to Figure 2, the main card 50 has no audio capability but is equipped with a PCM audio interface in expansion tabs (not shown) for an accessory card, i.e., either card 75 or 80, in the Personal pointer designs that support PCM audio. Particularly, the accessory card 75, 80 implemented includes a speaker and a microphone combination 77, 83 respectively, with the microphone functioning to record voice input which may be processed by the processor subsystem or stored in a storage subsystem for subsequent playback, and the speaker functioning to provide voice output, produce customized tones, and enable acoustic coupling with other listening devices, etc.

As shown in Figure 2, each speaker/microphone combination 77. 83 is connected to a respective pulse-coded modulation PCM coder/encoder devices (CODECs) 78, 84 which are controlled by a respective PCM interface 79,89 to the CPU 55. The accessory card 5 75, 80 is additionally equipped with various communications subsystems including low power and intermediary power radio frequency communications devices that support a Wireless Application Protocol ("WAP") used to provide communications links to mobile computers, mobile phones, portable handheld devices and, connectivity to the Internet. In one embodiment, the 10 specific communications subsystems include circuitry for supporting Bluetooth 81 or like small-factor, low-cost radio solution circuitry, e.g., an RF-modem 76, and may include other low power radio and Flex-paging communications circuits (not shown), etc. For instance, as shown in Figure 2, the auxiliary 15 communication card 80 implements the Bluetooth industry standard for Radio Frequency (RF) communication, however, it is understood that other standards such as IEEE 802.11 or other RF protocols may be implemented as well. Moreover, portions of these 20 communication protocols may be implemented on the processor on the main board 50 so that the total number of the components required is minimized. The CPU system on the main card 50 preferably employs a first Universal Asynchronous Receiver Transmitter (UART1) device (not shown) for supporting either the 25 RF-modem 76 or Bluetooth 81 communications functionality and, may be equipped with a second UART device (UART2) providing support for data download functionality, e.g., from a PC or network server. It is understood that any like data transfer mechanism or data exchange interface device may be implemented to provide 30 data download and RF communications support functionality.

For purposes of interacting with the device, the Personal pointer system 10 is provided with a touch sensitive screen/panel 90, and

also a roller wheel mechanism, i.e., jog encoder 95. The touch sensitive screen enables the direct launching of applications by physical user entry of a graffiti "squiggle" in the manner such as described in commonly-owned co-pending U.S. Patent Application No. _____ [YOR92000-0234, Atty. Docket No. 13577] entitled GRAFFITI BASED APPLICATION LAUNCH ON A SMART WATCH, the whole contents and disclosure of which is incorporated by reference as if fully set forth herein, and may initiate other applications/actions/events by physical touching of certain Personal pointer display areas. In one embodiment, the touch sensitive screen panel is provided with a four (4) position touch screen. For instance, forward and back navigation for Personal pointer displays is enabled by physically touching certain areas of the touch sensitive panel. The roller wheel mechanism 95 may be rolled up or down (i.e., clockwise or anticlockwise) to simulate a display cursor scrolling function for text and graphics, and specifically generates signals that are A/D converted for receipt by the processor to enable movement of the Personal pointer device display cursor, and more particularly, movement of an arrow cursor or other displayed indicators providing appointment update and browsing functions.

As further shown in Figure 2, various Analog to Digital converters (ADC) 68 support an interface with the touch screen display panel 90, and an interface with the jog encoder or button for the roller wheel mechanism 95. An interface 69 is provided for a unit 98 housing a high resolution (VGA equivalent) emissive Organic Light Emitting Diode (OLED) high contrast display 100. Further, the main card 50 for the basic shell interfaces to a buzzer 63 controlled directly by the CPU 55 using its buzzer interface and timer counters. To detect the posture of the personal pointing device, a mechanical four-way tilt sensor 72 is further provided comprising mechanical switches (for detecting

degree of tilt) producing signals which may be detected by the CPU. This sensor may be used for the various purposes such as power management, display control, etc. In a preferred embodiment, additional sensors may be attached to the Personal pointer device over an interface.

With more particularity, the high contrast display 100 of Figure 2 does not need a backlight to make the display visible. Thus, the power consumed by the display is proportional to the number of pixels that are turned on in the display. Since the pixels preferably comprise light emitting diodes, the display is automatically visible at night and a user does not need to press any buttons to see the display. Moreover, the OLED display 100 may be viewed clearly at a wide variety of angles with the brightness of these displays being controlled by limiting the amount of current supplied to the diodes. In one embodiment, the OLED chip 100 is a high-resolution pixel addressable display, e.g., 640x480, for enabling the display of various textual and graphical items, similar to what may be displayed on a computer screen or a Palm Pilot®. Example displays may include icons indicating usage status for example, or display of text indicating location and context of the smart personal pointing device usage.

Figure 3 illustrates the software architecture 200 for the Personal pointer device 10. At its lowest level, the Personal pointer system runs an operating system 210, e.g., LINUX 2.2.1, that permits multiple user level and kernel level threads to run and will support multitasking and multi-user support. Device drivers are provided for each input/output subsystem will handle low level device dependent code and interfaces so that higher level Application Programming Interfaces (APIs) can be implemented on top of them. The device drivers provided for each

input/output subsystem include a serial I/O system driver 212, IrDA system driver 214, RF-Modem subsystem driver 216, Bluetooth system driver 218, flash memory 220, touch screen subsystem driver 222, LCD subsystem driver 224, OLED subsystem driver 226, roller wheel subsystem driver 228 and tilt sensor device driver 229. A client-server graphics subsystem 230, storage subsystem manager 240 and synchronization sub-system manager 250 is provided on top of the device drivers for receiving and transmitting I/O events between the applications, updating of the screen, etc. A graphics library is available for the application writer so that custom screens may be displayed. A user interface manager 255 is provided to process events received from user input devices such as the roller wheel, bezel (i.e., jog encoder) and touch panel for the appropriate applications. A communication subsystem manager 260 is provided to handle events from communication channels and pass the events to the right application to set things up for data transfers to proceed. In accordance with the principles of the invention, the synchronization manager 250 is provided to synchronize data transfer between the Personal pointer device and the other devices. Particularly, it receives the data from the communication channel and operates in conjunction with the right application to decode the sent data and update the data for the application receiving the data. An example of this would be an update to a calendar event. A system wide power manager 270 is provided to monitor and control power consumption on the device and communicate with other subsystems such as the operating system scheduler to optimize the battery life of the device. The power manager 270, for example, measures the power left in the battery, estimates the power required to run an application, and recommends what subsystems need to be shut down as the battery starts draining out.

As further shown in Figure 3, the Personal pointer device 10 is equipped with application software 275 provided on top of the basic graphics, communication and synchronization subsystems. One key application supported is the microbrowser which enables access to a WAP-supporting Web site and receives Web-based communications written in, for example, the Wireless Markup Language ("WML") using the XML standard. WML particularly is designed to optimize Internet text data for delivery over limited-bandwidth wireless networks and onto small device screens, and particularly, is devised to support navigation with limited input mechanisms, e.g., buttons. Details regarding the implementation of WML in a Wrist Watch device may be found in commonly-owned, co-pending U.S. Patent Application No. _____ [YOR92000-0224, Atty. Docket No. 13574] entitled SYSTEM AND METHOD EMPLOYING WML ANNOTATIONS FOR USER INTERFACE CONTROL OF A WEARABLE APPLIANCE the contents and disclosure of which is incorporated by reference as if fully set forth herein. Other supported applications include Personal Information Management (PIM) applications software 280.

In accordance with the principles of the invention, the user device from which data is to be transferred is provided with software for initiating transfer of selected personalized data such as preferences and customizations associated with the user, i.e., from the user device, e.g., that user's personal Windows® desktop to the personal pointer device. In an alternate embodiment, a user may initiate the transfer from the personal pointer device itself. For example, a user may have set some preferences in Microsoft Power-point, or even a Netscape browser, and even may have specially created icons which are sorted to the user's smart mouse for subsequent transmission to another device when the user does not have access to his/her own PC. This may be accomplished by a wireless communication or cabling 14 via the

smart mouse port of the user device. Other types of personalization data may include profile information such as desktop profile (list of applications on the main desktop), screen resolutions, screen savers, menus on start button, preferred settings for various applications, browser bookmarks, history of web sites visited, history of files last viewed, registry settings, passwords for various web sites and applications used by the owner. Furthermore, a personalized menu such as the bar of icons used for Freelance Graphics, Powerpoint, and related preferred settings such as font, document style, and dictionaries, may also be communicated to the smart personal pointing device for storage and subsequent transmission according to the invention. Preferably, these preferences are all stored in preference files in the device memory corresponding to a particular application. It is understood that other personalized preferences like click speeds and mouse (tracking ball) rolling rates may additionally be stored in preference files for implementation in the visited device. Furthermore, a microdrive may obviously be used store other items such as traditional files, presentations, images, etc..

Via the system display 300 on the personal smart pointer device, a main menu comprising selectable icons for launching applications may be chosen. Alternately, as application may launched by a graffiti squiggle via the touch screen panel. One icon selection (not shown) would enable launch of an application for transmitting the personalized data including preferences and customizations, e.g., that user's personal Windows® desktop, to the desktop of a visited device, i.e., another person's PC. This may be accomplished by a wireless communication or via a smart mouse port at the visited device. In an alternate embodiment, a user may initiate the transfer of data from the personal pointer device to the visited device from the personal pointer device

itself. Thus, in one example, when interacting with visited devices such as phones and PDAs, data such as address books, power management options, etc., may be transferred to the particular device to personalize them. In the preferred embodiment, the personal pointer device maintains the notion of the current application that the user has access to or is executing on the visited PC, and thus, knows which icons or preferences to transfer for that particular application and is able to perform the transfer on demand. That is, some applications like Lotus Notes, Lotus Freelance Graphics, Microsoft PowerPoint, Netscape Navigator, etc., allow the user to build custom icons in the menu area of the screen, e.g., below the File Edit View menus. For example, in Netscape Navigator a special icon on the menu bar may take the user to a specific web site instead of having to type the URL for the web site. Thus, the icon list may be transmitted to the smart pointer and, the list of icons for a particular application may change utilizing the icon list received from the smart pointer. Thus, if multiple versions of applications exist such as Office 97, Office 2000, etc., the smart pointer holds data specific to each version. In accordance with this transfer mechanism, when the user disconnects from the visited device, e.g., PC, all traces of the user's personalization are removed from the PC so that the integrity of the person's data is preserved. That is, appropriate application software is provided to remove the user's preferences once that user disconnects the device from the visited PC. Thus, preferences associated with the original (visited) PC will not get corrupted.

With greater specificity, Figures 4(a) - 4(c) illustrate the method 500 for transferring preferences between devices in accordance with the present invention. As shown in Figure 4(a), a first step 505 is to detect the attachment of a personal

pointer device with the visited device, e.g., a PC, by a process
executing on the visited device. Once attachment of a smart
mouse is detected, at step 507, a determination is made as to
whether the personal pointer device mouse includes any
personalized profile and preferences, and, if they exist, the
step of building a list of applications that have been
personalized. Then, at step 510, for each application determined
at step 507, the process stores away the current settings in a
temporary directory located in the visited device, with the
optional step of encrypting the data files. Next, at step 513,
the process includes copying the preferences from the smart mouse
for the commonly used applications such as Windows® desktop, and
registering these preferences with the applications. Continuing
to step 515, Figure 4(b), a determination is made as to whether
the smart personal pointer device cursor is on the application
for which the smart pointer has a preferred profile. If the
smart mouse pointer cursor is on the application for which the
smart pointer has a preferred profile then, the process continues
to step 517 which comprises the step of determining whether the
preferred profile has been previously uploaded from the smart
pointer. If the preferred profile has been previously uploaded
from the smart mouse pointer, then the process returns to step
515; otherwise, the process continues to step 520 where
preference and profile data for that application is loaded from
the smart pointer into the device. Finally, at step 522, the new
settings are registered with the application. The process for
restoring preferences on the visited device is performed in
accordance with Figure 4(c). As illustrated in Figure 4(c), a
first step 555 is to detect the detachment of the smart personal
pointing device with the visited device, e.g., a PC. Once
detached, at step 565, the current settings for the applications
that were customized by the smart pointer are removed by deleting
the profile customization files. Then, at step 570, the original

5 settings that were present before the smart pointer was attached are decrypted (i.e., if previously encrypted) and re-copied to the respective application with these settings then being registered for each application that had been modified as indicated at step 573.

10 With further regard to the transfer application, the smart personalized pointer device is additionally provided with a mechanism by which the application on which a display cursor is presently located exchanges information with the smart mouse on a regular basis so as to enhance the user experience. Such data may include information about when the user last used the application, in what room the smart mouse is located, what the ambient room temperature and pressure is, etc., This will enable applications to be context and location aware. Thus, the smart personal pointer device is equipped to gather a lot of input from sensors around it and send it to the applications which can then use that data and adapt to it. The smart personal pointer device will be able to gather such data from all the environments it visits, hallways, conference rooms, etc.

25 By using a personalized smart mouse, the user is thus provided with a more personal experience with any standard computer or device, not just the computer at his desk. By keeping personal profile data in the personalized mouse the data such as passwords, etc., may be kept more securely. In accordance with a preferred embodiment, the smart personal pointer device is equipped with a password protection mechanism, such as that described in commonly-owned co-pending U.S. Patent Application No. _____ [YOR92000-0237, Atty. Docket No. 13571] entitled
30 PASSWORD PROTECTION USING SPATIAL AND TEMPORAL VARIATION IN A HIGH-RESOLUTION TOUCH SENSITIVE DISPLAY, the whole contents and disclosure of which is incorporated by reference as if fully set

forth herein, in order to render the mouse useless for anyone other than the owner.

While the invention has been particularly shown and described
5 with respect to illustrative and preformed embodiments thereof,
it will be understood by those skilled in the art that the
foregoing and other changes in form and details may be made
therein without departing from the spirit and scope of the
invention which should be limited only by the scope of the
10 appended claims.

continued

CLAIMS:

Having thus described our invention, what we claim as new, and desire to secure by Letters Patent is:

1 1. A personal smart pointer device capable of interfacing with a
2 device for providing cursor movement functionality for a device
3 display, said pointer device comprising:

4 a memory storage device for enabling storage of personalized
5 data relating to customized aspects of a user application;

6 a control mechanism for controlling receipt of personalized
7 data from a first device to said memory storage device in
8 response to a first command; and, in response to a second command
9 said control mechanism controlling transfer of personalized data
10 from said memory storage device to a second device; and,

11 a mechanism in said second device responsive to receipt of
12 said personalized data for altering a like user application in
13 accordance with said customized aspects, wherein said pointer
14 device is transportable for transferring user customized aspects
15 of many user applications of first devices to facilitate use of
16 like applications on said second devices.

17 2. The smart personal pointer device as claimed in Claim 1,
2 further comprising interface mechanism for enabling input of said
3 first and second commands.

4 3. The personal smart pointer device as claimed in Claim 1,
5 further comprising mechanism for retaining original user
6 application preferences currently existing in said second device
7 prior to altering said user application with said user customized
8 aspects, said mechanism further restoring said user application
9 preferences for said user application after disconnecting said
10 pointer device from said second device.

1 11. The personal smart pointer device as claimed in Claim 1,
2 further comprising password protection mechanism for enabling
3 user to use said pointer device.

1 12. The personal smart pointer device as claimed in Claim 1,
2 further comprising: mechanism for receiving sensor information
3 pertaining to use of said pointer device, said control mechanism
4 initiating transfer of said sensor information to a user
5 application in said second device to thereby render said user
6 application sensitive to a particular context.

1 13. The personal smart pointer device as claimed in Claim 1,
2 wherein said sensor information includes environmental data.

1 14. The personal smart pointer device as claimed in Claim 1,
2 wherein a first and second device comprises one of: a personal
3 computer, a personal digital assistant, a cellular phone, and a
4 network device.

1 15. The personal smart pointer device as claimed in Claim 1,
2 wherein the control mechanism includes mechanism for recognizing
3 a like application being executed on said second device and
4 automatically initiating said transfer of personalized data.

1 16. A method for customizing software applications in electronic
2 devices via a mouse device, said method comprising:

- 3 a) receiving personalized data relating to customized
4 aspects of a user application capable of executing in a first
5 electronic device;
6 b) storing said personalized data in a memory storage device
7 provided in said mouse device;

8 c) subsequently transferring said stored personalized data
9 to a like user application capable of executing in a second
10 electronic device; and,

11 d) altering said like user application executing in said
12 second computing device in accordance with said customized
13 aspects, wherein said mouse device is transportable for
14 transferring user customized aspects of many user applications of
15 first devices to facilitate use of like applications in said
16 second devices.

1 17. The method as claimed in Claim 16, wherein prior to step d),
2 the step of retaining original user application preferences
3 currently existing in said second device.

4 18. The method as claimed in Claim 17, wherein after use of said
5 like application on said second device by said user, the step of:
6 restoring said original user application preferences for said
7 like application on said second device after disconnecting said
8 mouse from said second device.

9 19. The method as claimed in Claim 16, wherein said receiving
10 step a) and transferring step d) is accomplished in accordance
11 with a wireless communications protocol.

1 20. The method as claimed in Claim 16, wherein a first and
2 second electronic device comprises one of: a personal computer, a
3 personal digital assistant, a cellular phone, and a network
4 device.

1 21. The method as claimed in Claim 16, wherein said transferring
2 step c) further comprises the step of: recognizing a like
3 application being executed on said second device and
4 automatically initiating said transfer of personalized data.

1 22. A program storage device readable by a machine, tangibly
2 embodying a program of instructions executable by the machine to
3 perform method steps for customizing software applications
4 executing in electronic devices, said method steps including the
5 steps of:

6 a) receiving personalized data relating to customized
7 aspects of a user application capable of executing in a first
8 electronic device;

9 b) storing said personalized data in a memory storage device
10 provided in said mouse device;

11 c) subsequently transferring said stored personalized data
12 to a like user application capable of executing in a second
13 electronic device; and,

14 d) altering said like user application executing in said
15 second computing device in accordance with said customized
16 aspects, wherein said mouse device is transportable for
17 transferring user customized aspects of many user applications of
18 first devices to facilitate use of like applications on said
19 second devices.

20 23. The program storage device readable by a machine as claimed
21 in Claim 22, wherein prior to step d), the step of retaining
22 original user application preferences currently existing in said
23 second device.

24 24. The program storage device readable by a machine as claimed
25 in Claim 23, wherein after use of said like application on said
26 second device by said user, the step of: restoring said original
27 user application preferences for said like application on said
28 second device after disconnecting said mouse from said second
29 device.

1 25. The program storage device readable by a machine as claimed
2 in Claim 22, wherein said receiving step a) and transferring step
3 d) is accomplished in accordance with a wireless communications
4 protocol.

1 26. The program storage device readable by a machine as claimed
2 in Claim 22, wherein a first and second electronic device
3 comprises one of: a personal computer, a personal digital
4 assistant, a cellular phone, and a network device.

1 27. The program storage device readable by a machine as claimed
2 in Claim 22, wherein said transferring step c) further comprises
3 the step of: recognizing a like application being executed on
4 said second device and automatically initiating said transfer of
5 personalized data.

A PERSONAL SMART POINTING DEVICE

ABSTRACT OF THE DISCLOSURE

A personal smart pointer device comprises a conventional computer mouse or like pointing device equipped with additional hardware and software for increased functionality. The personal smart pointer device readily connects with any computer and is provisioned with hardware and software for facilitating network computer-like applications, including enabling receipt and storage of information, and transfer of information to adjunct devices such as a PC, a mobile computer, and other pervasive devices such as a cellular phone and PDA. Information to be transferred includes those personal preferences, features and customizations of applications/programs used by the user on his/her own personal device, in order to facilitate use of the application/program on an adjunct device. The communication of personal preferences and customizations may be accomplished wirelessly.




Fig. 1




Fig 3

202




Fig. 2

500




Figure 4(a)

from step 513, Figure 4(a)




Figure 4(b)




Figure 4(c)

SSM&P Docket No.: 13576

IBM Docket No.: YOR9-2000-0226

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: A PERSONAL SMART POINTING DEVICE

the specification of which (check one)

☒ is attached hereto.

_____ was filed on _____ as United States Application Number _____

or PCT International Application Number _____

and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority Claimed	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States provisional application(s) listed below.

(Application Number)	(Filing Date)
_____	_____
_____	_____

I hereby claim the benefit under 35 U.S.C. §120 of any United States Application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose information material to the patentability of this application as defined in 37 CFR §1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)
_____	_____	_____
_____	_____	_____

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number).

Manny W. Schecter (Reg. 31,722), Lauren C. Bruzzone (Reg. No. 35,802), Christopher A. Hughes (Reg. 26,914), Edward A. Pennington (Reg. 32,588), John E. Hoel (Reg. 26,279), Joseph C. Redmond, Jr. (Reg. 18,753), Douglas W. Cameron (Reg. No. 31,596), Wayne L. Ellenbogen (Reg. No. 43,602), Stephen C. Kaufman (Reg. No. 29,551), Daniel P. Morris (Reg. No. 32,053), Louis J. Percello (Reg. No. 33,206), Jay P. Sbrollini (Reg. No. 36,266), David M. Shofi (Reg. No. 39,835), Robert M. Trepp (Reg. No. 25,933), Paul J. Otterstedt (Reg. No. 37,411) and Louis P. Herzberg (Reg. No. 41,500).

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

IBM Docket No.: YOR9-2000-0226

Send Correspondence to: Richard L. Catania, Scully, Scott, Murohy & Kresser

400 Garden City Plaza, Garden City, New York 11530

Direct Telephone Calls to: (name and telephone number) Richard L. Catania, (516) 742-4343

Chandrasekhar Narayanaswami

Full name of sole or first inventor

Chandrasekhar Navayanaswami
Inventor's Signature

30 June 2000
Date

41 Longmeadow Road, Wilton, CT 06897
_Residence

India _Citizenship

Same as residence
Post Office Address

Year	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	